consulted for possible updated or additional flood hazard information

To obtain more detailed information in areas where Base Flood Elevation To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations (BFEs) shown on this map apply only landward of 0.0' National Geodetic Vertical Datum of 1929 (NGVD 29). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations tables in the Flood insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations tables should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The projection used in the preparation of this map was New York State Plane FIPSZONE 3104. The horizontal datum was NAD 83, GRS80 spheroid. Differences in datum, spheroid, projection or State Plane zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this man are referenced to the National Geodetic Vertical Flood elevations on this map are referenced to the National Geodetic Vertical Datum of 1929. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.gov</a> or contact the National Geodetic Survey website at <a href="http://www.ngs.noaa.gov">http://www.ngs.noaa.g

NGS Information Services NOAA, N/NGS12 National Geodetic Survey SSMC-3. #9202 1315 East-West Highway Silver Spring, Maryland 20910-3182 (301) 713-3242

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit its website at http://www.ngs.noaa.gov.

Base map information shown on this FIRM was provided in digital format by the Department of Information Technology and Telecommunication, City of New York. This information was derived from digital orthophotos produced at a scale of 1:1,200 with 2-foot pixel resolution from photography dated 2004.


Based on updated topographic information, this map reflects more detailed and up-to-date stream channel configurations and floodplain delineations than those shown on the previous FIRM for this jurisdiction. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study Report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map. Also, the road to floodplain relationships for unrevised streams may differ from what is shown on previous maps.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed Map Index for an overview map showing

Contact the **FEMA Map Service Center** at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-358-9620 and its website at <a href="http://msc.fema.gov">http://msc.fema.gov</a>.

If you have **questions about this map** or questions concerning the National Flood Insurance Program in general, please call **1-877-FEMA MAP** (1-877-336-2627) or visit the FEMA website at <a href="http://www.fema.gov">http://www.fema.gov</a>.



The 1% annual flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood. ZONE A No Base Flood Elevations determined. ZONE AE Base Flood Elevations determined.

Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.

Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also

Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.

ZONE A99 Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations

Coastal flood zone with velocity hazard (wave action); no Base Flood

ZONE VE Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

OTHER AREAS

ZONE X

ZONE D

Areas determined to be outside the 0.2% annual chance floodplain. Areas in which flood hazards are undetermined, but possible.

OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

1% annual chance floodplain boundary 0.2% annual chance floodplain boundary

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

Floodway boundary Zone D boundary

CBRS and OPA boundary

Boundary dividing Special Flood Hazard Area Zones and —boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths or flood velocities. Base Flood Elevation line and value; elevation in feet\*

Base Flood Elevation value where uniform within zone; elevation in feet\* (EL 987)

Referenced to the National Geodetic Vertical Datum of 1929

—(A) Cross section line (23)----(23) Transect line

Geographic coordinates referenced to the North American Datum of 1983 (NAD 83), Western Hemisphere 87°07'45", 32°22'30"

1000-meter Universal Transverse Mercator grid values, zone 600000 FT

5000-foot grid ticks: New York State Plane coordinate system, Long Island zone (FIPSZONE 3104), Lambert Conformal Conic Bench mark (see explanation in Notes to Users section of this FIRM panel)

DX5510 v ●M1.5

MAP REPOSITORY Refer to listing of Map Repositories on Map Index

INITIAL NFIP MAP DATE

FLOOD HAZARD BOUNDARY MAP REVISIONS June 11, 1976

FLOOD INSURANCE RATE MAP EFFECTIVE November 16, 1983

termine if flood insurance is available in this community, contact your Insurance or call the National Flood Insurance Program at 1-800-638-6620.



赋

MAP SCALE 1" = 500' 1000 ==== FEET \_\_\_\_ METERS

> PANEL 0092F FIRM

CITY OF NEW YORK,

NEW YORK BRONX, RICHMOND. NEW YORK. QUEENS, AND KINGS COUNTIES

FLOOD INSURANCE RATE MAP

PANEL 92 OF 457

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS

COMMUNITY NEW YORK, CITY OF 360497




MAP NUMBER 3604970092F

### **APPENDIX L - REGULATED VEGETATION AND WETLANDS MAPS**

# U.S. Fish and Wildlife Service **National Wetlands Inventory**

# Package 8



March 23, 2022



Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland


Freshwater Pond

Lake

Riverine

Other

Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



CHPE

Champlain Hudson
Power Express



Engineering and Land Surveying, P.C.

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

CHAMPLAIN HUDSON POWER EXPRESS

SEGMENTS 13 TO 15 - PACKAGE 8

TRANSITION VAULT 5 TO ASTORIA CONVERTER STATION

STA. 80038+00 TO STA. 80053+50

KIEWIT PROJECT NO.
21162
KC PROJECT NO.
120174
DRAWING NO.

C-403

XXX OF XXX

AS SHOWN DATE

DATE SUBMITTAL / REVISION DESCRIPTION DB APP DRAWN BY: SC DESIGNED BY: SC APPROVED BY: BD SCALE REV. NO.

# APPENDIX M – MS4 MAP



### APPENDIX N – DEWATERING PLAN





#### **CHAMPLAIN HUDSON POWER EXPRESS**

Package 8 De-Watering Plan

STA: 80000+00.00 to 80107+83.62

